BROCCOLI, BROCCOLINI		
BROCCELINI		A k a haby brosseli. E1 hybrid of brosseli and sai lan (Chinasa brosseli
		A.k.a. baby broccoli; F1 hybrid of broccoli and gai lan (Chinese broccoli, Chinese kale, or kailaan); long tender stalks, small florets, sweet, peppery
		flavor; side shoots rather than main stalk are harvested - remove main stalk as
Aspabroc®		plant matures to increase side shoot development; may be harvested 3-5 times
Broccolini®	50-60 days	during season
Brocconnie	30-00 days	Old and reliable European variety; good yields of small, uniform blue-green
		heads, with prolific side-shoot production; fine for freezing; grow 2-3 ft., resists
DeCicco Broccoli	50-90 days	mildew; heirloom, open pollinated
Decicco Broccon	50-90 days	F1 hybrid that replaces Early Dividend; heat tolerant and disease resistant;
		develops many side shoots after the crown is harvested, which extends the
		harvest till fall or a hard freeze; large, domed crowns, tightly beaded florets,
Early Dream Broccoli	60 days	excellent flavor
Larry Bream Broccon	oo days	
		English heirloom variety, very cold hardy; produces lots of beautiful purple side
		sprouts after central small crown has been cut; tender, delicious, and sweet;
		leaves are also delicious, like a sweeter version of kale; can be planted in early spring, for a late spring, early summer harvest, or can be planted in fall, to
Early Purple Sprouting		overwinter for an early spring harvest; will require a heavy mulch and possibly
Broccoli	65-200 days	cover to overwinter, as our climate may be harsher than England's
Bioccon	03-200 days	Sturdy, disease resistant plants; 5-7 in., blue-green, tightly domed heads. Good
		tolerance to hot and cold temps, adaptable and dependable for spring and fall
Fiesta Broccoli	65 days	planting. F1 hybrid.
I lesta Broosen	oo days	Widely adapted hybrid, tolerates hot, dry conditions and most soil types; yields
		dense, uniform 6-8 in. heads and ample side shoots; grows upwards of 2 ft.; F1
Packman Broccoli	50-55 days	hybrid
T dokinan Brocon	00 00 000	
		F1 hybrid that replaces Premium Crop. Heat tolerant and mildew resistant.
Premier Broccoli	62-75 days	Compact growth habit. Crown is large (9in.), smooth, florets tightly beaded, crisp and delicious.
Preimer Broccon	02-75 days	Striking lime-green heads, conical with a fractal pattern of small spiraling florets;
Romanesco Italia Broccoli	85 days	mild flavor, nutlike texture; great fresh for salads and dips; open pollinated
Romanesco Italia Broccoli	05 days	Blue-green, solid, medium-sized heads, plentiful side shoots; compact plant,
Waltham 29 Broccoli	60-95 days	grows 20 in. high or so; tolerates dry conditions; open pollinated; cold hardy
Waitham 23 Broccon	00 33 days	grows 20 m. riigh or 30, tolerates ary conditions, open polimatea, cold hardy
BRUSSELS SPROUTS		
		F1 hybrid; 1959 AAS winner; heat tolerant, vigorous, high yielding, compact (28-
		30 in. tall) plants; early producer of dark green, long stemmed,1 in. sprouts that
		are mild flavored and crisp textured, great roasted or sauteed, and freeze well;
		as sprouts begin to appear, cut off the top and side leaves so more of the plant's
Jade Cross	75-90 days	energy goes to the sprouts; the leaves are delicious stir fried;
		Produces heavy set of firm, dark green, 1-2 in. sprouts over extended season;
Long Island Improved	80-115 days	freezes very well; harvest after frost for best flavor; open-pollinated
CABBAGE		
		F1 hybrid; 2-4 lb. heads, blue-green, ruffled leaves, tight, pale yellow interior;
		great for close planting, small spaces; after main head is picked, tiny 'mini-er'
Alcosa Mini Savoy	70-72 days	heads form on stalks
		Slow bolting Napa type; tight, uniform, barrel-shaped heads, 8-9 in. tall and 4-5
China Express	65-80 days	lbs.; sweet, crisp leaves, terrific in stir-fries or raw in salads; F1 hybrid
		6-8 in., 3-4 lb. heads on a compact plant; great for sauerkraut and the table;
Copenhagen Market	65-85 days	stands in field without splitting; stores well; heirloom, open pollinated

		Tight 5 Olleg 7 40 is bondered by the dear Politicards and the constitution of the con
		Tight, 5-6 lbs., 7-10 in. heads; mild, tender, light-green leaves; versatile,
	00 400 1	excellent for sauerkraut, slaw, cooking; keeps well in field and storage; heirloom,
Danish Ballhead	90-100 days	open pollinated
_		Bluish-green heads are dense, small, short-cored, about 2 1/2 lb.; resists black
Dynamo	70 days	rot; AAS in 1997; F1 hybrid
		Large, solid, 4-7 lb., 7-10 in. flattened heads on compact plant; good for
Early Flat Dutch	75-85 days	sauerkraut; tolerates heat; one of the best for storage; heirloom, open pollinated
		Tight, solid heads average 3-5 lbs., 5-7 in. diameter; sweet leaves are good in
Golden Acre	65 days	salads; not a long keeper; tolerates poor soil, resists yellows; open pollinated
		Flavorful, early maturing, ballhead type; compact habit for dense planting or
		small spaces; soft ball sized, 2 lb., firm, short cored, deep green heads; F1
Golden Cross Mini	40-45 days	hybrid
		F1 hybrid; round; 4-6 in., 1 lb. heads, dense, uniform, crunchy, sweet/spicy;
Gonzales Mini	66 days	compact plants great for high density planting, small spaces
		Firm, flattened green heads with white interiors; 10-12 in. across and 8-12 lbs.;
Late Flat Dutch	95-105 days	great for any dish; stores well; heirloom, open pollinated
		Handsome, compact plant; solid, deep purple-red heads, 5-7 in. and 2-4 lbs.;
		crisp, tender leaves are good raw or cooked; best storing red; resists splitting,
Red Acre	75-100 days	will last in field; resists yellows; open pollinated
		Deep-red, solid, uniform, 4-5 lb. heads; crisp, flavorful flesh, nice in salads and
Ruby Perfection	85 days	slaw; F1 hybrid, resists splitting and yellows, tolerates thrips, stores well
		F1 hybrid; round, 3.5 lb., firm heads with crinkled, deep-green leaves, creamy
Savoy Ace	78-80 days	interiors, short cores; sweet and tender; holds well in field; 1977 AAS winner
-		F1 hybrid; round, red, small to mini-cabbages with tender, crisp, peppery leaves;
		3-5 lb. heads resist splitting; can be planted closely or in small spaces; holds
Super Red 80 Mini	73 days	well in field
		Smooth, dense, green, conehead cabbage, great for slicing and shredding for
Sweet Slaw Cabbage	65 days	coleslaw or sauerkraut; crack resistant.
CAULIFLOWER		
		4-7 in. wide, 2-3 lb. light-orange heads; good raw, and color brightens when
Cheddar Hybrid	58-68 days	cooked; extra beta carotene; no tying of leaves required; F1 hybrid
_		Heirloom, open pollinated; compact plants; smooth white heads, 6-7 in. across;
Early Snowball	60 days	crisp and tender raw, delicious roasted, baked, steamed; freezes well
•		Brilliant purple, true cauliflower heads; beautiful and flavorful cooked or raw,
		make colorful kimchi; heat resistant, drought tolerant, but slow to head up in cool
		weather; keep color bright by adding a tablespoon of lemon juice to cooking
Graffiti	80 days	water; high in antioxidants; F1 hybrid
		Plant wraps itself with leaves (in cool weather) so you don't have to; snowball
Self Blanche	68 days	type, with uniform 3-4 lb., 7-8 in. heads; open pollinated
		Vigorous, reliable producer of dense, white heads, up to 2 lb. and 6-8 in. wide;
Snow Crown	50-55 days	excellent fresh or cooked; AAS in 1975; F1 hybrid
	Í	
COLLARDS & KALE		
		Classic non-heading variety; broad, wavy, dark-green leaves with tender texture
Vates Collards	75-80 days	and mild cabbage-like flavor; adaptable, cold-hardy; open pollinated
	1.1,5	Somewhat shorter and more compact blue-green kale; ruffled leaves with mild
Blue Curled Vates Kale	55 days	flavor; open pollinated
	1	and a visit of learning and

Lacinato Kale	60-65 days	Tuscan heirloom, known generally as dinosaur kale; dark blue-green, strap-like leaves, 10-20 in. long x 3 in. wide, with pebbled texture; widely considered best-flavored variety for light cooking, also excellent in salads, soups, stews; 3 ft. tall plants produce over long season; open pollinated
		Edible and ornamental upright kale with very frilly, finely cut leaves; as
		temperatures drop the color changes from green to deep red, the flavor
		becomes sweeter and the leaves become curlier; beautiful in the garden;
Redbor Kale	65 days	delicious in salads and stir fries; grows 18-24 in. high and wide; F1 hybrid
Trouber Italie		Heirloom, open pollinated; early variety; tender leaves, mild flavor; deeply lobed
		grey-green foliage, purple stems; after frost, leaves turn deeper purple and taste
Russian Red Kale	50 days	sweeter; winter hardy; grows 2-3 ft. tall
Russian Red Raie	Jouays	
		Large, flat, rounded, blue-green leaves with prominent veins, in loose, open
		heads; sweeter and more tender than other kales and delicious raw, or cooked in
Tuonah uda Kala a lua		soups, stews, stir fries; ribs can be sautéed or eaten raw like celery; grows 2 ft.
Tronchuda Kale a.k.a.	05 dave	high and wide; heat and drought tolerant but would benefit from afternoon shade
Portuguese Sea Kale	85 days	as tips can burn; open pollinated
		Dutch hybrid that can reach 3 ft. tall; mild, sweet yet slightly tangy flavor; high
		yields of long, blue-green, tightly ruffled leaves; harvest baby leaves in 28 days;
Winterbor Kale	55-65 days	very cold-tolerant; F1 hybrid
	110-138	An F1 hybrid of Brussels sprouts and kale, developed through traditional cross pollination breeding methods. Grown and harvested like Brussels sprouts, with florets that look like mini-heads of green and purple kale instead of the tight buds of sprouts; very slow to mature. You will have large, tall plants before florets appear - patience required - our kalettes didn't develop till February (so don't pull them up in the fall). Harvest florets when they are 1.5-2 in. diameter;
W-1-44		
Kalettes Autumn Star Kalette	days	delicious raw, roasted, grilled, stir fried, sautéed.
Autumn Star Kalette	110 days	Earliest Kalette; vigorous, productive; sweet, nutty flavor
KOHLRABI		
		Above ground 'bulbs' with purple skin, sweet, white interior; delicious cooked or raw; use bulbs when apple size before they get woody; young leaves have flavor
Purple Vienna Kohlrabi	55 days	reminiscent of kale or cabbage; cold hardy; pre-1860 heirloom, open pollinated
		Early variety, mild flavor and crisp whitish flesh; harvest bulbs at 2-4 in.; good raw, sautéed or steamed; use young leaves in salad, cook older leaves à la
Grand Duke Kohlrabi	50-55 days	Swiss chard; resists black rot; AAS in 1979; F1 hybrid
ASIAN VEGETABLES		
ACIAIT VECETABLES		Japanese mustard with purple and green ruffled leaves; spicy, pungent flavor;
		use young leaves and stems in salads, stir-fries, sushi, larger leaves as boiling
Osaka Purple Mustard	30-45 days	greens; open pollinated
Osaka Fulpie Wiustalu	30-43 uays	
Red Giant Mustard	21-45 days	Japanese mustard with large, reddish purple leaves; baby leaves (21 days) tasty in salads, sushi; larger leaves great for Asian cooking; open pollinated
Red Glafft Mustard	21-45 days	Tender, dark-green leaves and 10 in. long, crunchy, snow-white stems form
		compact bunch; adds slight mustardy flavor to stir-fry, nice as baby green in salad; more bolt-resistant than most varieties, performs well in heat or cold; F1
Joi Choi Bok Choy	45-55 days	hybrid
	1 1 2 2 2 2 2 2 2 2	Single serving size - 4-6 in. tall; crisp white stems, dark green leaves, mild
		flavor; superb sautéed or roasted, in soup and stir-fry; vitamin- and nutrient-rich;
Toy Choy Baby Bok Choy	30-40 days	good for successive sowing, works well in containers; F1 hybrid
LICY CHOY DADY DOK CHOY	ou to days	1900a for buccessive sowing, works well in containers, it i hybrid

Tatsoi	25-45 (baby greens to	Rosettes of round, deep green leaves with white crunchy stems; mild, sweet flavor; nutrient dense - full of vitamins, minerals, and healthful componds; great for salds, soups, stir fries; bolts quickly when the days start heating up in later spring; open pollinated
Companions for Cole Crops		Aromatic plants such as chamomile, dill, garlic, onions, mint, thyme, catnip, hyssop, rosemary, sage; nasturtiums, beets, bush beans, celery, cukes, lettuce, potato, spinach. Cole crops, except for collards, are said to dislike tomatoes, pole beans, strawberries. Studies at Cornell showed that collards have fewer flea beetles when interplanted with tomatoes.